

Price List

Built-in Appliances 2023

Power your kitchen





Built-in oven with microwave



- SAP: 927211500 | MRP: 1,56,990 Heating types: microwave, grill, hot air, combination cooking
- 5 levels: 80 W, 240 W, 400 W, 560 W, 800 W
- 16 automatic programmesDark Steel metal handle with logo
- Cooking chamber volume 72 l
- Appliance (H×W×D): 59.5 × 59.5 × 56.5 cm Installation (H×W×D): 60.0 × 56.0 × 55.0 cm
- Panel height: 96 mm

Built-in oven



- 11 Heating Methods
 Cooking chamber volume 72 litre
 Fully retractable control knob
- Removable oven door for easy cleaning
- Combination grate
 Enamelled baking tray
- Appliance dimensions:
- $59.5 \times 59.5 \times 56.5$ cm
 Installation dimensions: $60.0 \times 56.0 \times 55.0 \text{ cm}$
- Panel height: 96 mm

Built-in oven with steam function



• SAP:927212300| MRP:1,54,990 • 12 Heating Methods

- Cooking chamber 72 litre
- Smart Slider Touch Control
- Temperature sensorSteam support
- 13 automatic programmes

- Very low window temp.
 Appliance (H×W×D): 59.5 × 59.5 × 56.5 cm
 Installation(H×W×D): 60.0 × 56.0 × 55.0 cm
- Panel height: 96 mm

Combination steam cooker



- 13 Heating MethodsCooking chamber 50 litreSmart Slider Touch Control
- MWO support
- 16 automatic programmesVery low window temp.
- Appliance dimensions:
- 45.4 × 59.5 × 56.8 cm
 Installation dimensions:
- 45.0 × 56.0 × 55.0 cm • Panel height: 96 mm

Built-in oven with pyrolysis



• SAP: 927212100 | MRP: 1,39,000 • 11 Heating Methods

- Cooking chamber volume 72 litre
- Control panel in the Dark Steel design
- Dark Steel metal handle with logo
- Appliance ($H \times W \times D$):
- $59.5 \times 59.5 \times 57.5$ cm
- Installation (H \times W \times D): 60.0 \times 56.0 \times 56.0 cm
- Panel height: 96 mm

Warming drawer



- SAP: 927112500 | MRP: 65,990 Temperature regulation in 3 levels: from 30 °C 80 °C
- 20.5 l interior volume
- Opens without handles by push &
- pull

 Anti-slip mat
- Load capacity 15 kg
- Appliance dimensions: $14.0 \times 59.4 \times 54.2$ cm
- Installation dimensions:
- 14.0 × 56.0 56.8 × 55.0 cm



Crispy, delicate and fresh – all available with a simple touch! Intuitive operating concepts and clearly arranged display solutions allow your oven to produce perfect results. And when the feast is over, these practical kitchen appliances simply clean themselves.

Built-in oven



- 8 Heating Methods
- Cooking chamber volume 70 litreFully retractable control knob
- Digital display

- Large oven interior with 1-way
 Telescopic extension
 Appliance (H ×W× D): 59.5×59.5×57.5 cm
- Installation(H×W×D):59.0×56.0×55.0 cm
- Panel height: 96 mm

Built-in compact microwave oven



- SAP: 927213300 | MRP: 69,990 Heating types: microwave, grill, hot air, combination cooking
- 5 levels: 1000W, 800W, 500W, 300W, 100W

- 10 Program ModesDefrost by weight / time34 I stainless steel cavity
- Appliance (H × W × D): 38.8 x 59.5 x 47.0 cm
- Installation ($H \times W \times D$): 38.0 x 56.0 x 55.0 cm

Built-in oven



- 8 Heating Methods
- Cooking chamber volume 70 litreFully retractable control knob
- Oven lighting Appliance dimensions:
- $59.5 \times 59.5 \times 57.5$ cm • Installation dimensions:
- 59.0 × 56.0 × 55.0 cm
- Panel height: 96 mm

Built-in compact microwave oven



- SAP: 927213200 | MRP: 65,990 Heating types: microwave, grill, hot air, combination cooking
- 5 levels: 1,000W, 800W, 500W, 300W, 100W
- 10 automatic programmesStainless Steel Finish
- 34 I stainless steel cavity
- Appliance($H \times W \times D$): 38.8 x 59.5 x 47.0 cm
- Installation($H \times W \times D$): 38.0 x 56.0 x 55.0 cm

Built-in oven




- 5 Heating Methods
- Cooking chamber volume 70 litre
 Smooth oven walls with suspended grates
 Appliance (H × W × D):
- $59.5 \times 59.5 \times 57.5$ cm
- Installation (H× W × D): $60.0 \times 56.0 \times 56.0$ cm
- Panel height: 120 mm

Built-in microwave



- SAP: 9927113100 | MRP: 63,990
 Heating types: microwave, grill, combined microwave and grill
 5 levels: 900W, 600W, 360,W, 180W, 90 W
- Programmes mode for 8 programmes
 25 I stainless steel cooking
- chamberl
 Appliance (H × W × D): 38.2 x 59.4 x 40.3 cm
- Installation ($H \times W \times D$): 38.0 x 56.0 x 55.0 cm

Stand-alone hob, combi induction



- 5 induction cooking zones with booster

HOBS

Not all heat is alike. Sometimes the

temperature has to rise rapidly – boosting heat for perfect searing. Other

things need time – uniform heat

for gentle cooking.

- Grill function
- Appliance (H \times W \times D): 5.2 \times 88.0 \times 52.0 cm

Stand-alone hob, induction



- 2 induction cooking zones with booster
 Frameless
 Smart Slider

- Touch Control
- Boost function for all induction cooking zones
 Electronic control in 10 power levels

- Appliance (H × W × D): 5.2× 30.0 × 52.0 cm
 Installation (H × W × D): 5.2 × 27.0 × 49.0 cm

- Electronic control in 10 power levels
- FramelessMulti Control
- Smart Slider
- Touch Control
- 2 × combi induction
- Installation (H \times W \times D): 5.2 \times 81.0 \times 49.0 cm





- 4 Full Brass Burner
- Auto Ignition

- Appliance dimensions:
- $8.07 \times 59.0 \times 51.0 \text{ cm}$

Gas hob

• SAP: 927161900 | MRP: 37,990 • Tempered Black Glass 8 mm

• Cut out dimensions: 56.0 × 49.0 cm

香食原

Tempered Black Glass 8 mm 3 Full Brass Burner

Flame Failure Safety Device.
Appliance dimensions: 8.07 × 77.0 × 51.0 cm

• Tempered Black Glass 8 mm

• Flame Failure Safety Device.

• Cut out dimensions: 73.0 × 49.0 cm

• 3 Full Brass Burner

Auto Ignition
 Cast Iron Pan supports

• Appliance dimensions:

• Cut out dimensions: 73.0 × 49.0 cm

• Cast Iron Pan supports

Auto Ignition

Gas hob

Cast Iron Pan supportsFlame Failure Safety Device.

• Appliance dimensions:

 $8.07 \times 59.0 \times 51.0 \text{ cm}$

• 3 Full Brass Burner

Auto Ignition

Gas hob



- Tempered Black Glass 8 mm 4 Full Brass Burner
- Auto lanition
- Cast Iron Pan supports

- Cut out dimensions: 73.0×49.0 cm

Gas hob



- Tempered Black Glass 8 mm

- Appliance dimensions: $8.07 \times 86.0 \times 51.0 \text{ cm}$
- Cut out dimensions: 73.0 × 49.0 cm

• SAP: 927162000 | MRP: 42,990 • Tempered Black Glass 8mm

- Cast Iron Pan supportsFlame Failure Safety Device.
- Cut out dimensions: 56.0 × 49.0 cm

Gas hob

Gas hob

- Flame Failure Safety Device.
 Appliance dimensions: 8.07 × 77.0 × 51.0 cm



- 4 Full Brass Burner Auto Ignition
- Cast Iron Pan supports Flame Failure Safety Device.

Gas hob



- Tempered Black Glass 8 mm
- 5 Full Brass Burner
- Auto Ignition
 Cast Iron Pan supports
- Flame Failure Safety Device.
- Appliance dimensions: $8.07 \times 86.0 \times 51.0$ cm
- Cut out dimensions: 73.0 × 49.0 cm





SAP: 927222300 | MRP: 49,990 • Black glass, hardened • 4 Full Brass Burner

- Front control knob
- Electrical spoke spark ignition controllable with one hand
 • Cast iron pot carrier

- Appliance dimensions: 9.0 × 60.0 × 51.5 cm
 Installation dimensions: 56.0 × 49.0 cm

Gas hob




- SAP: 92/222400 | MRP: 59,990
 Black glass, hardened
 5 Full Brass Burner
 Front control knob
 Electrical spoke spark ignition controllable with one hand
- Cast iron pot carrier
 Appliance dimensions: 9.0 × 75.0 × 52.0 cm
 Installation dimensions: 56.0 × 49.0 cm



HOBS WITH INTEGRATED **EXTRACTOR**

The modern extractor solution offers one thing above all – more freedom: A clear view, as the fumes are extracted directly where they arise. Odourless cooking and more freedom in kitchen planning.

High-quality filter systems allow nothing but fresh air to be produced, while still being powerful and noise-free. The perfect combination of heat and air in a single appliance.



Stand-alone hob, combi induction with integrated extractor fan



- 4 induction cooking zones with booster
- Frameless
- Multi Control
- Smart Slider, Touch Control
- 2× combi induction
- Electronic control in 11 power levels
- Appliance dimensions: 20.1 × 78.0 × 52.0 cm
 Installation dimensions: 19.7 × 75.0 × 50.0 cm

Stand-alone hob, combi induction with integrated extractor fan



- 4 induction cooking zones with boosterFrameless
- Multi Control Smart Slider

- Electronic control in 11 power levels
- Appliance dimensions: $20.1 \times 59.0 \times 52.0$ cm
- Installation dimensions: $19.7 \times 59.0 \times 50.0$ cm





• 90cm Island hood

Island hood

- Stainless steel Powerful Suction Electronic control
 • Powerful Suction
- 5 layers aluminium filter
- 3 power levels
- Appliance($H \times W \times D$):119.2×89.5.0×60.0 cm

Oblique hood



- 90 mm Black Powder coating + Black tempered glass
- Powerful SuctionTouch Control
- Motion Sensor
- Heat Auto Clean
- 3 power levels Filter-less Concept
- Appliance ($H \times W \times D$): 84.8 × 89.5 × 33.8 cm

Wall hood



- Black Powder coating + Curve glass panel
- For wall installation above hobs
- Powerful Suction
- Touch control & Motion sensor
- 3 power levels Filterless Design
- Appliance dimensions: 84.9 × 59.8 × 34.0 cm

Island hood



- Stainless steel
- Powerful Suction
- Remote controlMetal grease filter, dishwasher-safe
- Appliance dimensions, extraction: 90.0 – 109.0 × 140.0 × 60.0 cm
- Appliance dimensions, circulation: $96.5 120.0 \times 140.0 \times 60.0$ cm

Vertical hood



- Black painted stainless steel and black glass
- For wall installation above cooking zones
- Multi Control
- Touch Control
- 4-level fan power
- Intensive levels with automatic reset

Island hood 5SL 92500

 Electronic control Powerful Suction

• SAP: 927222600 | MRP: 5,25,000 • Black Glass and Dark Steel

controllable through remote control • Intensive levels with automatic reset Powerful and quiet blower

• For ceiling installation above kitchen islands

• 4-level fan power (3 power levels + 1 intensive level)

• Device dimensions closed: $28.0 \times 108.7 \times 58.7$ cm • Device dimensions extended: $128.0 \times 108.7 \times 58.7$ cm



- 60 cm Wall Hood
- Touch Control
- Heat Auto Clean
- 84.8 × 59.5 × 33.8 cm

- Powerful SuctionAppliance dimensions, extraction:
- 73.0 105.0 × 90.0 × 23.2 cm
- Appliance dimensions, circulation:
 85.5.0 105.0 × 90.0 × 23.2 cm

Oblique hood



- Black glassPowerful Suction
- Motion Sensor
- Filter-less Concept
- Appliance ($H \times W \times D$):



- For wall installation above hobs
- Powerful Suction
- Touch control & Motion sensor
- Appliance dimensions:

• SAP: 927163600 | MRP: 3,35,000 • 140 cm Island hood Black painted

Island hood

- Stainless steel and black painted stainless steel
- 4-level fan power
- Powerful SuctionMulti Control
- Metal grease filter, dishwasher-safe
- Appliance dimensions, circulation: 170.5×45.0×45.0cm

Oblique hood



- Black glass screen with Dark Steel front
- With gas pressure damper
- For wall installation above hobsElectronic control
- Powerful Suction
- 4-level fan power Appliance dimensions, extraction:
- 71.2 102.2 × 90.0 × 34.0 cm
- Appliance dimensions, circulation: 83.7 – 102.2 × 90.0 × 34.0 cm

Wall hood



- Black Powder coating + Curve glass panel
- Heat auto cleaning
- 3 power levels
- 84.9 × 89.8 × 34.0 cm

Wall hood



- Black painted stainless steel and black glass screen
- For wall installation above cooking zones
- Touch Control
- Powerful Suction
- 4-level fan powerAppliance dimensions, extraction: 79.0 – 106.0 × 90.0 × 45.0 cm
- Appliance dimensions, circulation: 79.0 – 106.0 × 90.0 × 45.0 cm

Wall hood



Black Powder coating + glass panel

- For wall installation above hobs
- Extraction mode
- Touch control
- Heat auto cleaning
- 3 power levels Filterless Design
- Appliance dimensions: 58,8 × 89,6 × 34,0 cm

Flat hood



- Optional extraction or circulation mode
- For wall-mounted cabinet 90 cm
- 4-level fan power
- Energy-saving operation thanks to efficient BLDC
- High, fine-tunable fan power through electronic control
- Appliance dimensions, extraction: $20.3 \times 89.8 \times 29.0 \text{ cm}$
- Appliance dimensions, circulation:

Wall hood



- For wall installation above hobs
- Extraction mode
- Powerful Suction
- Heat auto cleaning
- 3 power levels 2 × 1.5 W LED lamps
- Filterless Design
- Appliance dimensions: 58.8 × 59.6 × 34.0 cm

Wall hood



- Black Powder coating + glass panel
- For wall installation above hobs
- Extraction mode
- Powerful Suction
- Touch control
- Heat auto cleaning
- 3 power levels
- Appliance dimensions: $58.8 \times 74.6 \times 34.0 \text{ cm}$

Flat hood



- Optional extraction or circulation mode
- For wall-mounted cabinet 60 cm
- 3-level fan power controllable via slide
- Powerful Suction
- Automatic switch-on and switch-off by pressing the moving filter surface
- Appliance dimensions: $17.5 \times 59.8 \times 26.0$ cm
- Installation dimensions:
- $13.5 \times 49.7 \times 22.7$ cm

Wall hood



- Black Powder coating + glass panel
- For wall installation above hobs
- Touch control
- Powerful Suction
- Heat auto cleaning
- 3 power levels
- Filterless Design
- Appliance dimensions: 58.8 × 89.6 × 34.0 cm

Wall hood



- Black Powder coating + glass panel
- For wall installation above hobs
- Extraction modePowerful Suction
- Touch control
- Heat auto cleaning
- 3 power levels
 Appliance dimensions: 58.8 × 59.6 × 34.0 cm

Ceiling fan



• SAP: 927212900 | MRP: 1,69,990 • Stainless steel

- For ceiling installation above kitchen islands
- Powerful Suction
- Powerful Suction
- Electronic Control
- Heat Sensor for automatic mode
 Metal grease filter, dishwasher safe
 Appliance (H × W × D): 19.2 x90.0 ×49.9 cm

Ceiling fan



- Black painted stainless steel and black glass
- For ceiling installation above kitchen islands
- Powerful Suction
- Circulation mode
- Electronic control
- 4-level fan power
- Intensive levels with automatic reset
- Powerful and quiet blower
- Uniform, bright lighting with
 Appliance dimensions: 16.1 × 90.0 × 55.0 cm

EXTRACTOR FAN HOODS Seared crispy or gently steamed: each meal preparation leaves traces behind in the room. Blaupunkt extractor fan hoods provide





Built-in dishwasher, fully integrated



- 6 programmes
- Capacity: 13 standard place settings
 Energy / water: 84 kWh / 9.5 l
 Noise: 44 dB (A) re 1 pW

- Connection loads: 220 240 V / 2.4 kW
- 5 cleaning temperaturesAlternating rinse technology
- Appliance dimensions:
- 81.5 × 59.8 × 55.0 cm

 $81.5 - 87.5 \times 60.0 \times 55.0$ cm

Built-in dishwasher, semi integrated



• SAP: 927213500 | MRP: 92,000 • 6 Programs, Semi Integrated • 12 standard place settings • Energy/Water: 0.71 kWh/10.5 l

- Noise: 49 dB

- Aquastop
 Appliance (H × W × D): 81.5 × 59.8 × 57.0 cm
- Installation (H \times W \times D): 81.5 \times 60.0 \times 57.0 cm

Built-in dishwasher, fully integrated



- 6 programmes
 Capacity: 14 standard place settings
 Energy / water: 95 kWh / 12 l
- Noise: 46 dB (A) re 1 pW

- Cup rack in upper basketCutlery basket in lower basketHeight-adjustable upper basket
- Connection loads: 220 240 V / 1.9 kW
- Automatic cleaning / glass protection technology
 Appliance dimensions: 82.0 90.0 × 59.8 × 55.5 cm • Recess dimensions: $82.0 - 90.0 \times 60.0 \times 56.0$ cm

Freestanding dishwasher



- 6 Programs, Stand Alone 12 standard place settings
 • Energy/Water: 0.91 kWh/11 l Noise: 49 dB

- Type of control: Electronic Control
 Filter material: Plastic + stainless steel
 Tub material: Stainless steel
- Cup tray in upper basket
- Folding spine rows in the lower basket
 Appliance (H × W × D): 84.5 × 59.8 × 60.0 cm

Cold

REFRIGERATIONS

The various cooling zones in Blaupunkt refrigerations and freezers create the right temperature for all chilled items. Perfectly kept food retains its freshness for a long time, thanks to different temperature zones and



Built-in freezer



- Total capacity: 197 l
- Freezing capacity: 11.5 kg in 24 hours
- Storage time in case of malfunction: 6 hours
 • Flat hinge
- Appliance dimensions:
- $177.0 \times 54.0 \times 54.5$ cm
- Recess dimensions: $177.5 \times 56.0 \times 55.0 \text{ cm}$

Built-in refrigeration / freezer combination



• SAP: 927224800 | MRP: 1,72,000 • Total capacity: 243 |

- Fully integrated installation
- Fully automatic defrost inside the fridge
- Easy-to-clean, bright interior compartmentLED interior lighting in refrigeration
- Drag hinge
- Door hinged on right, changeable
- Appliance dimensions: 177.0 × 54.0 × 54.5 cm

- Recess dimensions:
- $177.6 \times 56.0 \times 55.0 \text{ cm}$

Built-in refrigeration



- Total capacity: 294 l
- Fully automatic defrost inside the fridge
- Flat hingeDoor hinged on right, changeableAppliance dimensions:
- 177.0 × 54.0 × 54.5 cm
- Recess dimensions: 177.5 × 56.0 × 55.0 cm

Built-in refrigeration / freezer combination



- Total capacity: 251 l
 Fully integrated installation
 Fully automatic defrost inside the fridge
- Drag hinge
- Door hinged on right, changeable
- Appliance dimensions:
 177.0 × 54.0 × 54.5 cm
- Recess dimensions:
- 177.6 × 56.0 × 55.0 cm

Built-in refrigeration / freezer combination



• SAP: 927224900 | MRP: 1,79,000 • Total capacity: 270 |

- Fully integrated installation
- Fully automatic defrost inside the fridge
- Flat hingeDoor hinged on right, changeable
- Appliance dimensions:
- 177.2 × 54.1 × 54.8 cm
- • Recess dimensions:
- 177.5 × 56.0 × 55.0 cm

Built-in refrigeration / freezer combination



- Total capacity: 249 l
- Fully integrated installation
 Fully automatic defrost inside the fridge
- Drag hinge
- Door hinged on right, changeable
- Appliance dimensions:
 176.5 × 54.0 × 54.0 cm

- Recess dimensions:
 177.2 177.6 × 56.0 × 55.0 cm

Undercounter refrigeration



• SAP: 927225200 | MRP: 1,60,000 • Total capacity: 123 l

- Suitable for undercounter installationFully automatic defrost inside the fridge

- Flat hinge
 Height-adjustable front feet
 Door hinged on right, changeable
- Appliance dimensions: 82.0 × 59.8 × 54.8 cm
 Recess dimensions: 82.0 × 60.0 × 55.0 cm

Undercounter refrigeration




• SAP: 927225300 | MRP: 1,53,000 • Total capacity: 137 |

- Suitable for undercounter installation
- Fully automatic defrost inside the fridge
 Flat hinge
 Height-adjustable front feet
 Door hinged on right, changeable

- Appliance dimensions: 82.0 × 59.8 × 54.8 cm
 Recess dimensions: 82.0 × 60.0 × 55.0 cm

FREESTANDING REFRIGERATIONS



5SB 891SE0

- SAP: 927225100 | MRP: 2,45,000
- Total capacity: 513 l
 Freestanding side-by-side refrigeration / freezer combination
- Stainless steel look
- Fully automatic defrost inside the fridge
 Technical data and dimensions H × W × D
- Appliance dimensions: $177.0 \times 90.0 \times 66.0$ cm





Made for enjoyment

Undercounter wine cooler

5WK 610FF0

- SAP: xxxxxxx | MRP: 2,99,000
 Total capacity: 83 |
 Black glass front
 Handle-free opening with push-to-open (electronic)
 3 solid wood shelves
 36-bottle capacity
 Upper part: 16 bottles (75 cl)
 Lower part: 37 bottles (75 cl)
 Flat hinge

- Flat hinge
 Appliance dimensions: 58.9 × 59.0 × 56.0 cm
 Recess dimensions: 59.1 × 55.0 × 55.0 cm



UNDERCOUNTER WINE COOLER

The perfect climate for fine wines

Undercounter wine cooler

5WK 820FF0

• SAP: 927225400 | MRP: 3,49,000

- Total capacity: 132 l Black glass front
- Handle-free opening with push-to-open
- Touch Control
- White LED lighting5 solid wood shelves
- 53-bottle capacity
- Upper part: 16 bottles (75 cl) • Lower part: 37 bottles (75 cl)
- UV protection
- Appliance dimensions: $82.0 89.0 \times 59.5 \times 57.4$ cm
- Recess dimensions: $82.5 89.5 \times 60.0 \times 55.5$ cm

Freestanding wine cooler



• SAP: 927225700 | MRP: 2,09,000 • Total capacity: 193 |

- Free standing wine cooler
- Black body & stainless steel door frame

 7 solid wood shelves
- 75-bottle capacity
- Upper part: 33 bottles (75 cl)Lower part: 42 bottles (75 cl)
- Appliance dimensions: $127.0 \times 48.0 \times 57.5$ cm

Freestanding wine cooler



- Total capacity: 116 l
- Free standing wine cooler

- 4 solid wood shelves49-bottle capacityUpper part: 28 bottles (75 cl)
- Lower part: 21 bottles (75 cl)
- Appliance dimensions: $84.5 \times 48.0 \times 57.5$ cm



Services



Thank you for choosing Blaupunkt's built-in kitchen appliances, brought to you by Hettich. Our professional service is available to assist you. All queries related to built-in kitchen appliances will be professionally answered by our technical experts. Here, you will receive all the information on handling, functions and performance.

For customer service, repair services, user advice, spare parts & accessories, you can scan the QR code or reach out to us on our toll-free number or website below:



Toll free: 1800 209 2096 www.hettich.com

Application Centres:

New Delhi:

61, Punchkuian Road, Near RK Ashram Metro, Opposite Pillar No 4, New Delhi -110001 Ph. No.: +91 11 4750 8320

Chennai:

"Heavitree", Ground Floor, 47, Spur Tank Road, Chetpet, Chennai - 600 031 Ph. No.: +91 44 4263 7227

Hyderabad:

" Sai Krishna " 797 - A, 2nd Floor, Road No. 36, Jubilee Hills, Hyderabad - 500 034 Ph. No. :+91 40 2355 8994

Ahmedabad:

1st Floor, Unit No. 102, Safal Pegasus, Anand Nagar, Ahmedabad - 380 015 Ph. No.: +91 79 4032 2824 +91 84 4838 5318

Mumbai:

202/302, Durolite House, Opp. SAB TV, New Link Road, Andheri (West), Mumbai - 400 053 Ph.No.: +91 22 2639 9707

Bengaluru:

Adventz Center, Ground Floor 28, Cubbon Road, Shivaji Nagar, Bangalore - 560 001 Ph. No.: +91 77381 18987

Chandigarh:

2nd Floor, Aspire Tower, Plot no. 55, Industrial & Business park, Phase 1, Chandigarh - 160 002 Ph. No.: +91 172 5012 347

Indore:

Office No.106 and 107-A, "Brilliant Titanium", Plot No.9, Scheme No.78, Part-II, Indore - 452 010

Ph. No.: +91 96 9168 4480

Kolkata:

2nd Floor, Unit Number 2A, Tirumala 22, East Topsia Road, At Topsia Tangra Crossing Kolkata - 700 046 Ph. No.: +91 98310 12054

Kochi:

41/2062D, 2nd Floor Palarivattom signal junction, NH 47 By-pass, Kochi - 682 028 Ph. No.: +91 48 4402 8242

Gurugram:

Global Business Park, Tower - A, 5th Floor, Mehrauli-Gurgaon Rd, Sikanderpur, Sector 26, Gurugram, Haryana 122 002. Ph. No.: +91 124 4221670

Pune:

Server Spacer, Survey No. 127/1A, Plot No. 8, Off. ITI Road, Aundh, Pune - 411 007 Ph. No: +91 72 0847 6557

Enquiry & Customer Services

Toll Free: 1800 209 2096 (office hours) Email: sales_enquiry@in.hettich.com customer_services@in.hettich.com www.hettich.com

Follow Hettich India













